

GEOMETRICA COLLECTION

TONDA - OVALE - QUADRA - RETTANGOLARE



Geo-T 58-87

NEWS 2023

MADE
IN ITALY  ITALIAN
LIFESTYLE

GEOMETRICA COLLECTION

- TONDA - OVALE pag. 8

- QUADRA - RETTANGOLARE pag. 14

CHEM pag. 20

CHEM-S pag. 26

ST-FRAC pag. 28

HOT pag. 32

RING pag. 34

PHUL pag. 36

BREM'ART COLLECTION

CIRCO D'IDEE pag. 40

NOSTOS pag. 42

PIET pag. 44

FILU&FERRU pag. 46

FIRE pag. 48

TECHNICAL CATALOGUE & PRICE LIST

VAT ESCLUDED



GEOMETRICA TONDA



Geo-T 58-56

GOMETRICA

OVALE



Geo-O 54-89



Geo-O 54-116

GEOMETRICA OVALE



Geo-OV 87-56



Geo-OV 87-87

GEOMETRICA TONDA - OVALE

design Luigi Brembilla

Geometrica is a collection of heated towel rails with geometric elements and a distinctive horizontal bar passing through them. The towel rail bar can also be designed to extend to the left of the main radiator.

extend to the left of the main radiator.

TONDA Geo-T MODEL




*Geo-TL model
with tubes at the rear

OVALE Geo-O MODEL




*Geo-OL model
with tubes at the rear


OVALE-V Geo-OV MODEL




*Geo-OVL model
with tubes at the rear



Geo-T.. 58-56




Geo-O.. 54-89




Geo-OV.. 87-56






Geo-T.. 58-87



Geo-O.. 54-116



Geo-OV.. 87-87



MODEL	HL cm	white sablé standard €	EN 442		▲ ▼ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm ³	MIXED version (EHE cl.II) with sleeve and: cable ⁹ digital thermostat		
			Δt 50 K watt	Δt 30 K watt						€	W	€
Geo-T	58-56	851,20	312	164	14	58	56	9,2	3,7	125,10	250	196,70
Geo-TL	58-56	1041,60	449	236	14	58	56	13,5	5,0	127,40	400	199,00
Geo-T	58-87	879,20	344	181	14	58	87	9,8	3,9	127,40	400	199,00
Geo-TL	58-87	1069,60	481	253	14	58	87	14,1	5,2	129,60	500	201,20
Geo-O	54-89	907,20	514	270	14	54	89	15,0	6,2	129,60	500	201,20
Geo-OL	54-89	1097,60	734	386	14	54	89	21,9	8,3	131,80	650	203,40
Geo-O	54-116	946,40	543	286	14	54	116	15,5	6,3	129,60	500	201,20
Geo-OL	54-116	1136,80	763	401	14	54	116	22,4	8,4	125,70	800	208,20
Geo-OV	87-56	1019,20	539	284	14	87	56	15,4	6,3	129,60	500	201,20
Geo-OVL	87-56	1209,60	759	399	14	87	56	22,3	8,4	125,70	800	208,20
Geo-OV	87-87	1047,20	571	300	14	87	87	16,0	6,5	131,80	650	203,40
Geo-OVL	87-87	1237,60	791	416	14	87	87	22,9	8,6	136,60	800	208,20

⁹Radio frequency chronothermostat p.227

ON REQUEST, FREE OF CHARGE, TOWEL BAR WITH THE LEFT EXTENSION

TOWEL BAR: STANDARD COLORS

- white sablé SB 9016
- quartz grey sablé SB 7039
- jet black sablé SB 9005
- same color of radiator

- in one color of Brem color list different from the radiator extra 36,10€

STANDARD PRODUCTION

White "sablé" paintwork - Brackets B15
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list (colored B15 brackets) +15/25%

Electric version on request

STANDARD FITTING

Remote Fittings REM ø 1/2"


On request vertical fittings EG ø 1/2"



TAPPING CENTRES


Standard Remote fittings on the back of the panel

Model Geo-T.. Geo-OV..



On request vertical fittings EG ▲▼ 14 cm, with sleeves and visible valves.


Model Geo-O..



On request vertical fittings EG ▲▼ 14 cm, with sleeves and visible valves.

FIXINGS

B35 brackets included





□ brackets for electric models

RECOMMENDED VALVES

standard remote fittings

KIT VALVOLE REMOTE COMPRENDE:

- n°2 Valves wall recessed with head chrome
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Round washer chrome-plated



REMOTE TON VALVES ASSEMBLY KIT

Art. KVG 176,60€

REMOTE TON VALVES ASSEMBLY KIT with

THERMOSTATIC head Art. KVGT 229,80€


REMOTE QUADRA VALVES ASSEMBLY KIT

Art. KQG 192,20€



Geo-T 58-56

REMOTE FITTINGS



S

REM

3

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

GEOMETRICA QUADRA



Geo-Q 58-56

GEOMETRICA RETTANGOLARE



Geo-R 54-92

GOMETRICA

RETTANGOLARE



Geo-RV 87-87



Geo-RV 87-56

GEOMETRICA


QUADRA - RETTANGOLARE

The Geometrica collection also includes the Quadra and Rettangolare models. The "L" models have tubes at the rear to increase heat output. Upon request, the towel rail


bar can be supplied with the left extension of the heated towel rail.

design Luigi Brembilla


QUADRA Geo-Q MODEL




* Geo-QL model
with tubes at the rear




Geo-Q..58-56 / 67-65 / 76-74




Geo-Q.. 58-87 / 67-102 / 76-116




RETTANGOLARE- Geo-R MODEL




Geo-R 54-92 / 63-102




Geo-R 54-123 / 63-138




RETTANGOLARE VERTICALE Geo-RV MODEL



* Geo-RVL model
with tubes at the rear



Geo-RV.. 87-56



Geo-RV.. 87-87



MODEL	HL cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲ ▼ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm ³	MIXED version (EHE cl.II) with sleeve and: cable ⁰ €	W digital thermostat €
Geo-Q	58-56	901,60	411	216	14	58	56	11,6	3,7	127,40	400
Geo-QL	58-56	1092,00	525	276	14	58	56	15,2	4,8	129,60	500
Geo-Q	58-87	929,60	444	234	14	58	87	12,1	3,9	127,40	400
Geo-QL	58-87	1108,80	558	294	14	58	87	15,7	5,0	129,60	500
Geo-Q	67-65	961,00	540	284	14	67	65	15,2	4,7	129,60	500
Geo-QL	67-65	1185,00	708	372	14	67	65	20,5	6,3	131,80	650
Geo-Q	67-102	994,60	579	305	14	67	102	15,9	4,9	129,60	500
Geo-QL	67-102	1213,00	747	393	14	67	102	21,2	6,5	136,60	800
Geo-Q	76-74	1019,20	685	360	14	76	74	19,3	5,8	131,80	650
Geo-QL	76-74	1276,80	918	483	14	76	74	26,6	8,0	140,20	900
Geo-Q	76-116	1058,40	729	383	14	76	116	20,0	6,0	131,80	650
Geo-QL	76-116	1316,00	962	506	14	76	116	27,3	8,2	140,20	900
Geo-R	54-92	990,10	635	334	14	54	92	17,7	5,4	131,80	650
Geo-R	54-123	1029,30	668	351	14	54	123	24,1	7,4	131,80	650
Geo-R	63-102	1129,50	802	422	14	63	102	22,4	6,7	136,60	800
Geo-R	63-138	1168,70	840	442	14	63	138	31,3	9,3	136,60	800
Geo-RV	87-56	1013,60	639	336	14	87	56	17,5	5,4	131,80	650
Geo-RVL	87-56	1204,00	819	431	14	87	56	23,2	7,1	136,60	800
Geo-RV	87-87	1041,60	671	353	14	87	87	18,1	5,6	140,20	900
Geo-RVL	87-87	1220,80	851	448	14	87	87	23,8	7,3	148,50	1200


⁰Radio frequency chronothermostat p.227

ON REQUEST, FREE OF CHARGE, TOWEL BAR
WITH THE LEFT EXTENSION

TOWEL BAR: STANDARD COLORS

- white sablé SB 9016
- quartz grey sablé SB 7039
- jet black sablé SB 9005
- same color of radiator

- in one color of Brem color list different
from the radiator extra 36,10€



Rectangular model
towel bar with double projection
Mod. Geo-R 54-154 (701W) € 1068,50

STANDARD PRODUCTION

White "sablé" paintwork - Brackets B15

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 4 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list (colored B15

brackets)

Electric version, on request

+15/25%

STANDARD FITTING


Remote Fittings REM ø 1/2"

On request vertical fittings EG ø 1/2"




TAPPING CENTRES

Standard Remote fittings on the back of the panel
Model Geo-Q.. Geo-RV..



On request vertical fittings EG ▲▼ 14 cm, with sleeves and visible valves.


Model Geo-R



On request vertical fittings EG ▲▼ 14 cm, with sleeves and visible valves.

FIXINGS

B35 brackets included




RECOMMENDED VALVES

standard remote fittings

KIT VALVOLE REMOTE COMPRENDE:

- n°2 Valves wall recessed with head chrome
- n°2 Fittings (multilayer ø16, copper ø12, 14)
- n°2 Round washer chrome-plated



REMOTE TON VALVES ASSEMBLY KIT

Art. KVG 176,60€

REMOTE TON VALVES ASSEMBLY KIT with


THERMOSTATIC head Art. KVGT 229,80€

REMOTE QUADRA VALVES ASSEMBLY KIT

Art. KQG 192,20€



REMOTE FITTINGS



CHEM



CHEM 236-3



CHEM 216-2

CHEM



CHEM 216-2+96-3



CHEM

design Davide Diliberto

CHEM is a radiator comprising round tube elements, ø 9 cm, with the final section curving

towards the wall. It is produced in different heights, either as a single unit or as a modular

unit with up to 7 elements. It can be supplemented with the element at its curvst heght 96 cm


DIMENSIONS

Width: da 9 a 93cm

Height: 96 /196 /216 /236 /256 cm


Depth: 18 cm

Depth from wall: 18 cm



MODEL	n°el.	1 el	2 el	3 el	4 el	5 el	6 el	7 el
H	L cm	9	23	37	51	65	79	93
cm	▲▼ cm	5	14	28	42	56	70	84
CHEM 196 €		649,60	873,60	1097,60	1338,40	1579,20		
		326w	655w	984w	1313w	1642w		
CHEML 196 €		750,40	1075,20	1400,00	1741,60	2083,20		
		493w	989w	1485w	1981w	2477w		
CHEM 216 €		683,20	924,00	1164,80	1422,40	1680,00		
		367w	737w	1107w	1477w	1847w		
CHEML 216 €		788,50	1134,60	1480,60	1843,50	2206,40		
		555w	1113w	1671w	2229w	2787w		
CHEM 236 €		716,80	974,40	1232,00	1506,40	1780,80		
		408w	819w	1230w	1641w	2052w		
CHEML 236 €		826,60	1193,90	1561,30	1945,40	2329,60		
		617w	1237w	1857w	2477w	3097w		
CHEM 256 €		750,40	1024,80	1299,20	1590,40	1881,60		
		449w	901w	1353w	1805w	2257w		
CHEML 256 €		864,60	1253,30	1641,90	2047,40	2452,80		
		679w	1361w	2043w	2725w	3407w		
CHEM 96 €		313,60	431,20	548,80	666,40	784,00	901,60	1019,20
		138w	279w	420w	561w	702w	843w	984w
CHEML 96 €		395,40	594,70	794,10	993,40	1192,80	1392,20	1591,50
		217w	437w	657w	877w	1097w	1317w	1537w

On request elements with heights 206, 226. Prices and yields by interpolation.
Heights up to 286 cm: to quote. Heights less than 96 cm on request.



Ex: CHEM216-2el+ 96-3el
924,00€+598,080€=1522,80€

^Maximum operating pressure CHEML 4 BAR

STANDARD PRODUCTION

White "sablé" paintwork - Brackets white
Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list (with colored brackets) +15/25%



Electric version, not available

STANDARD FITTING EG ø 1/2", on the back of the tube with straight valves. Side connections with angle valves on request.




TAPPING CENTRES

CHEM ..1el. CHEM.. - from 2 to 4 elements



*model ..L with tubes at the rear



FIXINGS
brackets included


CHEM96

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers


On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 12,40€



STRAIGHT TON VALVES KIT
Art. KVD


149,30€

STRAIGHT MINI VALVES KIT
chrome-plated or white color Art. KMD 136,90€



STRAIGHT TON VALVES KIT with
THERMOSTATIC head Art. KTD 202,40€

REMOTE FITTINGS Art. REM 42,10€
at the rear (EG tapping centres dimensions)



REMOTE VALVES ASSEMBLY KIT with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 192,90€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 229,80€



CHEM 216-3

CHEM-S



CHEM-S 216D-50/3





CHEM-S



CHEM-S 216-50/2



CHEM S 216-50/3

CHEM-S

CHEM, the 9-cm diameter tube with the final section that curves towards the wall, also

comes in a heated towel rail version. It is produced in different models thanks to the

design Davide Diliberto addition of one, two or three square tubular attached to one or two vertical elements.




DIMENSIONS

Width: 50,5 cm

Height: 216 / 216 cm

Depth: 18 cm


Depth from wall: 18 cm



CHEM-S
196-50/1
216-50/1

CHEM-S
196-50/2
216-50/2


CHEM-S
196-50/3
216-50/3



CHEM-S
196D-50/1
216D-50/1

CHEM-S
196D-50/2
216D-50/2

CHEM-S
196D-50/3
216D-50/3



CHEM-S
196-50/3
216-50/3

MODEL	H-L cm	white sablé standard €	EN 442 Δt 50 K watt	Δt 30 K watt	▲ ▼ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and: cable €	W	WIRELESS DEVICES
CHEM-S	196-50/1	728,00	424	230	5	196	50,5	12,5	5,8	127,40	400	Receiver: wall recessed Art. RIE 122,70€
CHEM-S	196-50/2	817,60	522	283	5	196	50,5	14,7	6,5	129,60	500	
CHEM-S	196-50/3	907,20	620	336	5	196	50,5	16,9	7,2	131,80	650	
CHEM-S	196D-50/1	952,00	753	408	14	196	50,5	22,8	10,9	136,60	800	wall-mounted Art. RIC 139,30€
CHEM-S	196D-50/2	1041,60	851	461	14	196	50,5	25,0	11,6	140,20	900	
CHEM-S	196D-50/3	1131,20	949	514	14	196	50,5	27,2	12,3	140,20	900	
CHEM-S	216-50/1	761,60	465	252	5	216	50,5	13,6	6,4	129,60	500	wireless programmable thermostat Art. RHD 136,00€
CHEM-S	216-50/2	851,20	563	305	5	216	50,5	15,8	7,1	129,60	500	
CHEM-S	216-50/3	940,80	661	358	5	216	50,5	18,0	7,8	131,80	650	
CHEM-S	216D-50/1	985,60	835	453	14	216	50,5	25,0	12,1	136,60	800	
CHEM-S	216D-50/2	1075,20	933	506	14	216	50,5	27,2	12,8	140,20	900	
CHEM-S	216D-50/3	1164,80	1031	559	14	216	50,5	29,4	13,5	140,20	900	

On request: Height 226, 236, 246 cm and customized.

Electric version: RE KIT page 229

STANDARD PRODUCTION

White "sablé" paintwork - Brackets white

Tolerance ± 3mm - Air vent ø 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list (with colored brackets)

+15/25%



STANDARD FITTING

EG ø 1/2"




Only with straight valves.



TAPPING CENTRES CHEM-S ..



CHEM-S..D




FIXINGS
brackets
included

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(to be cut to right size) Art. CA18 12,40€




STRAIGHT TON VALVES KIT
Art. KVD

149,30€


STRAIGHT MINI VALVES KIT

chrome-plated or white color Art. KMD 136,90€



STRAIGHT TON VALVES KIT with
THERMOSTATIC head Art. KTD 202,40€

REMOTE FITTINGS Art. REM 42,10€
at the rear (EG tapping centres dimensions)



REMOTE VALVES ASSEMBLY KIT with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 192,90€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 229,80€



CHEM-S 216-50/1

ST-FRAC

design Luigi Brembilla

ST-FRAC is the BREM heated towel rail characterized by impeccably pure lines.

The lightness given by its extremely small radiating tubes and the unique design of the

manifold that frames it make for a perfectly balanced composition.


DIMENSIONS

Width: 124/39/49/54/59 cm

Height: 59/69/84/99/129/159/189 cm

Depth: 1,8 cm

Depth from wall: 8,8 cm



MODEL	HL cm	white sable standard €	EN 442		▲ ▽ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version (EHE cl.II) with sleeve and:		
			Δt 50 K watt	Δt 30 K watt						cable ^o €	W digital thermostat €	
ST-FRAC	59-124	709,50	661	349	112	59	124	9,2	3,2	131,80	650	203,40
ST-FRAC	69-124	817,60	784	414	112	69	124	10,7	3,6	136,60	800	208,20
ST-FRAC	84-39	499,40	324	171	27	84	39	4,8	1,7	125,10	250	196,70
ST-FRAC	84-49	518,20	393	208	37	84	49	5,6	2	127,40	400	199,00
ST-FRAC	84-54	537,00	428	226	42	84	54	6,1	2,1	127,40	400	199,00
ST-FRAC	99-39	588,20	387	204	27	99	39	5,6	2	127,40	400	199,00
ST-FRAC	99-49	608,90	471	249	37	99	49	6,7	2,3	129,60	500	201,20
ST-FRAC	99-54	620,00	512	270	42	99	54	7,2	2,5	129,60	500	201,20
ST-FRAC	129-39	683,60	514	271	27	129	39	7,3	2,6	129,60	500	201,20
ST-FRAC	129-49	704,60	626	331	37	129	49	8,7	3	131,80	650	203,40
ST-FRAC	129-54	714,40	682	360	42	129	54	9,4	3,2	131,80	650	203,40
ST-FRAC	159-39	808,20	641	338	27	159	39	9,1	3,2	131,80	650	203,40
ST-FRAC	159-49	828,80	781	412	37	159	49	10,8	3,7	136,60	800	208,20
ST-FRAC	159-54	859,90	846	447	42	159	54	11,6	3,9	136,60	800	208,20
ST-FRAC	159-59	876,20	916	484	47	159	59	12,4	4,2	140,20	900	211,80
ST-FRAC	189-39	892,40	768	406	27	189	39	10,8	3,8	140,20	800	208,20
ST-FRAC	189-49	913,10	936	494	37	189	49	12,8	4,4	148,50	900	211,80
ST-FRAC	189-59	944,20	1104	583	47	189	59	14,8	5	159,40	1200	220,10

^oRadio frequency chronothermostat p.227

STANDARD PRODUCTION

White "sablé" paintwork - Brackets B70

Tolerance $\pm$ 3mm - Air vent $\varnothing$ 1/8"

MAXIMUM OPERATING PRESSURE 8 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B70 brackets

Electric version e.ST-FRAC, on request

+15/25%

STANDARD FITTING

REG $\varnothing$ 1/2"



with reverse valves

Fittings $\varnothing$ 3/8", on request





TAPPING CENTRES

Rear fittings for reverse valves standard



MIXED VERSION



RECOMMENDED VALVES


standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers


On request: Polished stainless tube cover
(cuttable to size)

Art. CA18 12,40€



REVERSE TON VALVES KIT

Art. KVR 137,10€




REVERSE TON VALVES KIT with
THERMOSTATIC head

Art. KTR 190,30€



ST-FRAC 159-39

REMOTE FITTINGS Art. REM 42,10€
tapping centres ▲ ▽ L - 12cm



REMOTE VALVES ASSEMBLY KIT p. 281 with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 229,80€

ST-FRAC



ST-FRAC 59-124

HOT



HOT 167-53

HOT

design Fiorenzo Mussi

With its precise linear design, Hot focuses on monochromatic synthesis, using light as

a dynamic element to highlight its name, formed by the letters H and T in relief and by

the play of the heated towel rail that creates the O. HOT is made using a Lamina plate.


DIMENSIONS

Length: 53,5 cm

Heights: 95 / 124 / 145 / 167 cm

Depth: 10,5 cm

Depth from wall: 8 / 14 cm



MODEL	H-L cm	white sablé standard €	EN 442		▲ ▼ t.c. cm	Height H cm	Width L cm	Weight M Kg	Volume V dm³	MIXED version* (EHE cl.II):		
			Δt 50 K watt	Δt 30 K watt						cable ^o €	W	digital thermostat €
HOT	95-53	757,10	490	252	37	95	53,5	13	4,6	105,60	500	177,20
HOT	124-53	876,10	653	336	37	123,5	53,5	17,3	6,1	107,80	650	179,40
HOT	145-53	948,50	775	398	37	145	53,5	20,6	7,3	112,60	800	184,20
HOT	167-53	1009,00	897	461	37	166,5	53,5	23,8	8,4	116,20	900	187,80

Δt 40K = W Δt 50K x 0,755


^oRadio frequency chronothermostat p.227

TOWEL BAR HOT: STANDARD COLORS

- metal gold BR 0019
- white sablé SB 9016
- quartz grey sablé SB 7039
- jet black SB 9005
- same color with the radiator

In one paintwork to Brem color list different from the radiator extra 36,10€

MIXED VERSION*
with valves in sight
height = H-7cm
t.c. = ▲ ▼ 5 cm



STANDARD PRODUCTION

White "sablé" paintwork - white EOS brackets
Tolerance ± 3mm - Air vent ø 1/2"

MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST

Paintwork to Brem list with colored brackets
(white back side and manifolds) +15/25%
Back and manifolds same color as radiator 189€



STANDARD FITTING

EG ø 1/2"
to use the valves side control
Electric version, on request



TAPPING CENTRES

Hidden tapings with side control valves.




RECOMMENDED VALVES

standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(cuttable to size) Art. CA18 12,40€




SIDE CONTROL TON VALVES KIT nickel-plated
chrome-plated handwheel Art. KVLN 105,60€

SIDE CONTROL TON VALVES KIT chrome-plated
Art. KVL 150,50€

SIDE CONTROL QUADRA VALVES

chrome-plated Art. KQL 191,20€
extra for BREM color list 53,40€




SIDE CONTROL TON VALVES KIT nickel-plated
with THERMOSTATIC head Art. KTLND 155,30€

SIDE CONTROL TON VALVES KIT chrome-plated
with THERMOSTATIC head Art. KTLND 203,70€

REMOTE FITTINGS Art. REM 42,10€

tapping centres (Panel H - 7cm): ▲ ▽ L-8,5cm



REMOTE VALVES ASSEMBLY KIT with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 229,80€

RING





RING is a radiator with square radiating tubes, produced in both vertical and horizontal ver-

sions, for classic use under a window. This is the ideal radiator for any setting as it comes in

a variety of sizes, as well as offering great heat output in the version with double radiating tubes.

DIMENSIONS mod. RGH e RGDH

Heights: from 160 to 220 cm every 20 cm
Widths: from 28 to 70 cm, every 3,5 cm
Depth: 5 / 7 cm
Sporgenza dal muro: 8 / 8,5 cm



DIMENSIONS mod. RGV e RGDV

Lengths: from 50 to 220 cm
Heights: 49/63/70/91 cm
Depth: 5 / 7 cm
Depth from wall: 8,5 cm



RGV RGDV

MODEL		n. el	8 el	9 el	10 el	11 el	12 el	13 el	14 el	15 el	16 el	17 el	18 el	19 el	20 el
	H cm	L cm	28	31,5	35	38,5	42	45,5	49	52,5	56	59,5	63	66,5	70
		▲▽ cm	14	17,5	21	24,5	28	31,5	35	38,5	42	45,5	49	52,5	56
RGH	160	€	449,50	470,10	490,70	511,30	531,90	552,50	573,00	593,60	614,10	634,70	655,30	675,90	696,50
			567w	638w	708w	779w	850w	921w	991w	1062w	1133w	1204w	1275w	1346w	1416w
RGDH	160	€	683,80	713,00	742,10	771,30	800,50	829,70	858,80	888,00	917,20	946,40	975,50	1004,80	1034,00
			838w	943w	1047w	1152w	1257w	1362w	1466w	1571w	1676w	1781w	1885w	1990w	2095w
RGH	180	€	477,10	498,70	520,40	542,10	563,70	585,30	606,90	628,70	650,30	671,90	693,50	715,10	736,70
			634w	713w	792w	872w	951w	1030w	1109w	1189w	1268w	1347w	1426w	1505w	1584w
RGDH	180	€	727,60	758,10	788,70	819,30	849,90	880,40	911,00	941,60	972,20	1002,70	1033,30	1064,00	1094,60
			939w	1056w	1174w	1291w	1409w	1526w	1643w	1761w	1878w	1995w	2113w	2230w	2348w
RGH	200	€	504,80	527,50	550,30	573,00	595,60	618,40	641,00	663,70	686,30	709,10	731,80	754,40	777,10
			701w	789w	876w	964w	1051w	1139w	1227w	1315w	1402w	1490w	1577w	1665w	1752w
RGDH	200	€	771,20	803,30	835,20	867,20	899,20	931,20	963,10	995,10	1027,00	1059,10	1091,10	1123,10	1155,10
			1040w	1170w	1300w	1430w	1560w	1690w	1820w	1950w	2080w	2210w	2340w	2470w	2600w
RGH	220	€	532,40	556,20	579,90	603,70	627,40	651,20	674,90	698,70	722,40	746,30	770,00	793,70	817,40
			768w	864w	960w	1056w	1152w	1248w	1344w	1440w	1536w	1632w	1728w	1824w	1920w
RGDH	220	€	815,00	848,40	881,80	915,20	948,50	981,90	1015,30	1048,70	1082,00	1115,40	1148,80	1182,30	1215,60
			1141w	1284w	1427w	1569w	1712w	1855w	1997w	2140w	2283w	2425w	2568w	2711w	2853w

MODEL			Lcm	50	60	70	80	90	100	120	140	160	180	200	220
	H cm	n. el	▲▽ cm	46,5	56,5	66,5	76,5	86,5	96,5	116,5	136,5	156,5	176,5	196,5	216,5
RGV	49	14	€	436,50	446,30	456,10	465,90	475,80	485,60	505,20	524,80	544,50	564,10	583,90	603,50
				349w	408w	468w	528w	587w	647w	766w	885w	1004w	1123w	1242w	1361w
RGDV	49	14	€	597,60	617,90	638,10	658,30	678,60	698,80	739,30	779,70	820,20	860,60	901,20	941,60
				499w	589w	678w	768w	858w	947w	1126w	1305w	1485w	1664w	1843w	2022w
RGV	63	18	€	509,80	519,80	529,60	539,60	549,60	559,40	579,40	599,20	619,00	638,80	658,80	678,60
				449w	525w	602w	678w	755w	831w	984w	1138w	1291w	1444w	1597w	1750w
RGDV	63	18	€	766,90	781,60	796,30	811,10	825,80	840,60	870,00	899,50	928,90	958,50	988,00	1017,40
				642w	757w	872w	987w	1103w	1218w	1448w	1678w	1909w	2139w	2370w	2600w
RGV	70	20	€	545,90	555,90	565,90	575,90	586,00	596,00	616,00	636,00	656,10	676,00	696,10	716,10
				499w	584w	669w	754w	839w	924w	1094w	1264w	1434w	1604w	1774w	1944w
RGDV	70	20	€	824,50	838,70	852,90	867,00	881,10	895,30	923,60	951,90	980,20	1008,60	1036,80	1065,10
				713w	841w	969w	1097w	1225w	1353w	1609w	1865w	2121w	2377w	2633w	2889w
RGV	91	26	€	567,40	583,20	599,00	614,90	630,70	646,50	678,00	709,70	741,30	772,90	804,60	836,20
				648w	759w	869w	980w	1090w	1201w	1422w	1643w	1864w	2085w	2307w	2528w
RGDV	91	26	€	830,00	852,80	875,50	898,40	921,10	943,80	989,40	1034,90	1080,50	1125,90	1171,50	1217,00
				927w	1093w	1260w	1426w	1593w	1759w	2092w	2424w	2757w	3090w	3423w	3755w

MEASURES ON REQUEST: Lengths every 10 cm from 50 to 220 cm (values by interpolation) - NUMBER OF ELEMENTS from 8 to 30

STANDARD PRODUCTION

White "sablé" paintwork - Brackets white.

Tolerance ± 3 mm - Air vent $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored B.. brackets

Electric version, not available

+15/25%

STANDARD FITTING


EG $\varnothing 1/2"$

Other fittings, on request





TAPPING CENTRES

Mod. RGH e RGDH, with vertical tubes



Mod. RGV e RGDV, with horizontal tubes




Mod. brackets	a	b	c
RGH G30	3,5	1,7	1,7
RGDH B15	3,5	1,7	1,7
RGV G30	1,7	5,2	5,2
RGDV B15	1,7	5,2	5,2

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers


On request: Polished stainless tube cover
(cuttable to size) Art. CA18 12,40€



SIDE control QUADRA VALVES KIT
Art. KQL 191,20€
extra for BREM color list 53,40€

ANGLED MINI VALVES KIT

chrome-plated or white color Art. KMS 127,00€



SIDE control TON VALVES KIT with
THERMOSTATIC head Art. KTLD 203,70€
SIDE control TON VALVES KIT
Art. KVL 150,50€

REMOTE FITTINGS Art. REM 42,10€

tapping centres ▲▼ L - 5cm
Not available in double models



REMOTE VALVES ASSEMBLY KIT with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT
Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with
THERMOSTATIC head Art. KVG 229,80€



RING180-42

PHUL

A radiating plate with bevelled side and upper edges making its already thin profile

(2.3 cm) even more imperceptible and fleeting. Created in vertical and horizontal

models, it is also available in a "D" version with square radiating tubes at the rear.

MODEL PH e PDH, Vertical panel

DIMENSIONS




Heights: from 169 to 229 cm every 20 cm

Width: from 28 to 81 cm, every 3,5 cm


Depth: 5,2 / 7,2 cm

Depth from wall: 8,2 / 8,7 cm

Top and side edges of the panels



PH PDH



PH PDH

MODEL PV e PDV, Horizontal panel



DIMENSIONS

Lengths: from 54 to 224 cm

Heights: 58/72/79/100 cm

Depth: 5,2 / 7,2 cm

Depth from wall: 8,2 / 8,7 cm



PV PDV

MODEL	H cm	L cm	32	39	46	53	60	67	74	81
		▲▽ cm	14	21	28	35	42	49	56	63
PH	169	€	725,00	791,40	857,80	924,10	990,50	1056,90	1123,40	1189,80
			567w	708w	850w	991w	1133w	1275w	1416w	1558w
PDH	169	€	936,70	1016,60	1096,60	1176,40	1256,40	1336,40	1416,40	1496,30
			787w	997w	1206w	1416w	1625w	1835w	2044w	2254w
PH	189	€	769,60	839,30	909,10	979,00	1048,80	1118,50	1188,30	1258,10
			634w	792w	951w	1109w	1268w	1426w	1584w	1743w
PDH	189	€	996,60	1080,40	1164,10	1247,90	1331,70	1415,60	1499,30	1583,10
			882w	1117w	1352w	1586w	1821w	2056w	2291w	2525w
PH	209	€	814,20	887,50	960,60	1033,90	1107,00	1180,30	1253,40	1326,60
			701w	876w	1051w	1227w	1402w	1577w	1752w	1928w
PDH	209	€	1056,50	1144,10	1231,80	1319,40	1406,90	1494,60	1582,20	1669,80
			977w	1237w	1497w	1757w	2017w	2277w	2537w	2797w
PH	229	€	858,80	935,40	1012,00	1088,60	1165,20	1241,90	1318,40	1395,00
			768w	960w	1152w	1344w	1536w	1728w	1920w	2112w
PDH	229	€	1116,40	1207,90	1299,30	1390,80	1482,20	1573,70	1665,20	1756,60
			1072w	1357w	1642w	1928w	2213w	2498w	2784w	3069w

HIDDEN FITTINGS

As standard, the PHUL panels is produced with fittings hidden to be mounted with side control valves.

- On request it is built lower (H-7 cm) to be mounted with visibles valves or with remote fittings.

		EN 442 watt Δt 50K (Δt 40K = $w \times 0,753$) - (Δt 30K = $w \times 0,524$)												
MODEL	H cm	L cm	54	64	74	84	94	104	124	144	164	184	204	224
		▲▽ cm	36	46	56	66	76	86	106	126	146	166	186	206
PV	58	€	704,00 349w	740,00 408w	775,90 468w	812,00 528w	848,00 587w	883,90 647w	919,90 766w	955,80 885w	991,80 1004w	1027,80 1123w	1063,80 1242w	1099,70 1361w
PDV	58	€	880,10 499w	929,90 589w	979,70 678w	1029,50 768w	1079,30 858w	1129,10 947w	1178,90 1126w	1228,60 1305w	1278,50 1485w	1328,30 1664w	1378,00 1843w	1427,90 2022w
PV	72	€	768,10 449w	809,30 525w	850,40 602w	891,60 678w	932,80 755w	974,00 831w	1015,20 984w	1056,30 1138w	1097,50 1291w	1138,70 1444w	1179,80 1597w	1221,00 1750w
PDV	72	€	989,10 642w	1049,60 757w	1110,00 872w	1170,50 987w	1231,00 1103w	1291,50 1218w	1352,10 1448w	1412,50 1678w	1473,00 1909w	1533,50 2139w	1594,00 2370w	1654,50 2600w
PV	79	€	808,20 499w	852,90 584w	897,60 669w	942,10 754w	986,80 839w	1031,50 924w	1076,20 1094w	1120,90 1264w	1165,60 1434w	1210,20 1604w	1254,80 1774w	1299,50 1944w
PDV	79	€	1022,10 713w	1085,50 841w	1149,00 969w	1212,40 1097w	1275,80 1225w	1339,30 1353w	1402,70 1609w	1466,20 1865w	1529,60 2121w	1593,00 2377w	1656,50 2633w	1719,90 2889w
PV	100	€	915,20 648w	967,70 759w	1020,20 869w	1072,80 980w	1125,40 1090w	1177,90 1201w	1230,40 1422w	1283,00 1643w	1335,50 1864w	1388,10 2085w	1440,70 2307w	1493,20 2528w
PDV	100	€	1137,00 927w	1208,90 1093w	1280,80 1260w	1352,70 1426w	1424,60 1593w	1496,50 1759w	1568,40 2092w	1640,40 2424w	1712,30 2757w	1784,20 3090w	1856,10 3423w	1928,00 3755w

STANDARD PRODUCTION

White "sablé" paintwork - Brackets white.

Tolerance ± 3 mm - Air vent $\varnothing 1/8"$

MAXIMUM OPERATING PRESSURE 6 BAR

PRODUCTION ON REQUEST

Paintwork to Brem color list with

colored brackets

Electric version, not available

+15/25%

STANDARD FITTING


EG $\varnothing 1/2"$

use side control valves





TAPPING CENTRES

MODEL PH e PDH, Vertical panel



MODEL PV e PDV, Horizontal panel



Mod.	brackets	a	b	c
PH	G30	5,5	3,7	9,2
PDH	B15	5,5	3,7	9,2
PV	G30	3,7	7,2	12,7
PDV	B15	3,7	7,2	12,7



RECOMMENDED VALVES

standard at the rear of the radiator

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers

On request: Polished stainless tube cover
(cuttable to size) Art. CA18 12,40€



SIDE CONTROL TON VALVES KIT chrome-plated
Art. KVL 150,50€

SIDE CONTROL QUADRA VALVES

chrome-plated Art. KQL 191,20€
extra for BREM color list 53,40€

REMOTE FITTINGS

not available

SIDE CONTROL TON VALVES KIT chrome-plated
with THERMOSTATIC head Art. KTLD 203,70€

SIDE CONTROL TON VALVES KIT nickel-plated
chrome-plated handwheel Art. KVLN 105,60€
SIDE CONTROL TON VALVES KIT nickel-plated
with THERMOSTATIC head Art. KTLND 155,30€



BREM'ART

ART AND RADIATOR

With its range known as Brem'Art and thanks to the valuable input of Steven Cavagna, Fiorenzo

Mussi, Antonio Pizzolante e Stefano Soddu, the Brem company explores material, making this an integral part of the project with a strong semantic message.


Even the names of the products are, poetically, part of the message that the designers want to get across, going beyond the actual function and the visual impact of their creations in the environment.

The search for the meaning and sense of this project bears witness to the artists' desire to send important identity messages regarding the environment, the survival of the human race on Earth, what we leave behind us, the primary elements (water, earth, fire, air), the light, the celestial bodies and – this is fundamental – the importance of the home as a warm and welcoming place and of the experiences of those who live there.

Perennially in pursuit of new shapes and expressions that are also surprisingly practical in the garb given to heat, Brem asked artists to develop the theme with their own interpretations, inventions, and solutions.

This is "Brem'Art": a line of radiators designed by artists given complete freedom for the most creative expression of the function of heating.

*EVERY WORK OF ART IS MADE BY HAND:
THE MINIMUM IMPERFECTIONS AND
IRREGULAR SHADING AND TONES OF
COLOR ARE UNIQUE TO EACH PIECE
AS IN EVERY REAL WORK OF ART.*





CIRCO D'IDEE 189-47



Steven Cavagna has rudely played around with the material, using the Plasma cutting technique to manually drill a steel plate. The result is a series of irregularities in the metal created by these holes and the burn marks, giving it its significant and unmistakable character.

Brem makes it using the Lamina plate.

BREM'ART CREATIONS


Brushed-metal finish BR 0031, semi-bright transparent painted, other BREM colors without supplement.

RECOMMENDED VALVES

standard at the rear of the radiator


CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



SIDE CONTROL TON VALVES KIT nickel-plated chrome-plated handwheel Art. KVLN 105,60€


SIDE CONTROL TON VALVES KIT chrome-plated Art. KVL 150,50€



SIDE CONTROL TON VALVES KIT nickel-plated with THERMOSTATIC head Art. KTLND 155,30€

SIDE CONTROL TON VALVES KIT chrome-plated with THERMOSTATIC head Art. KTLD 203,70€

REMOTE FITTINGS Art. REM 42,10€
tapping centres (Panel H - 7cm): ▲▽ L-8,5cm



REMOTE VALVES ASSEMBLY KIT with:
- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with THERMOSTATIC head Art. KVG T 229,80€

STANDARD FITTING

EG ø 1/2"

to use the valves side control



		EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)					
MODELE		L cm	40	47	54	61	68
		▲▽cm	39,5	46,7	53,8	61	68,1
			23	30,2	37,3	44,5	51,6
CRH	189	€	1722,20	1819,00	1915,60	2012,30	2109,10
			650w	780w	910w	1040w	1170w
CRLH	189	€	2014,20	2109,50	2205,10	2300,40	2395,90
			845w	1041w	1183w	1352w	1521w
CRH	209	€	1790,10	1889,80	1989,70	2089,50	2189,30
			720w	864w	1008w	1152w	1296w
CRLH	209	€	2073,70	2173,00	2272,40	2371,80	2471,20
			925w	1110w	1295w	1480w	1665w
CRH	229	€	1861,60	1963,80	2066,10	2168,30	2270,60
			790w	948w	1106w	1264w	1422w
CRLH	229	€	2161,00	2262,10	2363,20	2464,20	2565,40
			1005w	1206w	1407w	1608w	1809w

Tecnical data LAMINA-H page 98



CIRCO D'IDEE 189-47



Nostos creates a warm and welcoming feel, designed to act as a multi-sensory link between everyday objects and people's most intimate experiences.

A metaphor for a personal journey exploring the relationship between space and home. In fact, the artist defines Nostos as the archetype of Odysseus' own "homecoming", as the story of an unpredictable journey, capable of changing the aspects of life.

BREM'ART CREATIONS


The artist proposes the panels in Sablè quartz grey color SB 7039; other table sablè colors Brem without supplement.

The work is hand painted by the artist and others choice of Ocher Yellow, Pompeii Red, Emerald Green or Ultramarine Blue color band (standard).

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:


- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



ANGLED MINI VALVES KIT

chrome-plated

Art. KMS 127,00€



SIDE control TON VALVES KIT with


THERMOSTATIC head Art. KTL 203,70€

SIDE control TON VALVES KIT

Art. KVL 150,50€

REMOTE FITTINGS Art. REM 42,10€

tapping centre on the back: ▲▽ L-5cm



REMOTE VALVES ASSEMBLY KIT with:

- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT

Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with

THERMOSTATIC head Art. KVGT 229,80€

STANDARD FITTING

EG ø 3/8, on request ø 1/2"

tapping center : ▲▽ L - 4 cm



		EN 442 Watt Δt 50K (Δt 40K = Wx0,755 - Δt 30K = Wx0,526)			
MODELE		L cm	45	54	63
	H cm	▲▽ cm	41	50	59
NOSTOS	180	€	2158,90	2253,60	2347,10
			887w	1061w	1233w
NOSTOS-L	180	€	2395,10	2518,70	2630,70
			1181w	1453w	1723w
NOSTOS	200	€	2218,90	2311,00	2408,40
			985w	1178w	1369w
NOSTOS-L	200	€	2504,30	2634,50	2746,10
			1313w	1616w	1916w
NOSTOS	220	€	2284,20	2400,00	2492,60
			1082w	1294w	1504w
NOSTOS-L	220	€	2560,70	2696,10	2812,40
			1445w	1778w	2109w

Technical data mod. CLAK, pricelist page102



NOSTOS 180-45



The design of this radiator is a tribute to Piet Mondrian and his neoplasticism style, where the artist has manually drawn intersecting vertical and horizontal lines on a material background to create a work of clean geometric rigour.


BREM'ART CREATIONS

Sablé White SB9016 finish,
parallelepiped in relief grey and red color.
Other sablè colors Brem without supplement

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:


- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers



SIDE control QUADRA VALVES KIT

Art. KQL 191,20€

extra for BREM color list 53,40€



SIDE control TON VALVES KIT with THERMOSTATIC head


Art. KTL 203,70€

SIDE control TON VALVES KIT

Art. KVL 150,50€

REMOTE FITTINGS Art. REM 42,10€

tapping centre on the back: ▲▽ L-5cm



REMOTE VALVES ASSEMBLY KIT with:

- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT

Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with

THERMOSTATIC head Art. KVGT 229,80€

STANDARD FITTING

EG ø3/8" ▲▽ L - 4 cm

Fittings AC or BD with extra



MODELLO		EN 442 Watt Δt 50K (Δt 40K = Wx0,755) - (Δt 30K = Wx0,526)					
	H cm	▲	▽	L cm	36	45	54
					32	41	50
PIET	180	€			1491,70	1608,50	1735,40
					713w	887w	1061w
PIET-L	180	€			1751,00	1898,00	2045,60
					909w	1181w	1453w
PIET	200	€			1544,40	1658,90	1789,20
					792w	985w	1178w
PIET-L	200	€			1851,10	2004,10	2151,50
					1011w	1313w	1616w
PIET	220	€			1601,80	1737,10	1863,00
					870w	1082w	1294w
PIET-L	220	€			1902,90	2060,80	2212,30
					1112w	1445w	1778w



PIET 180-45



Filu&Ferru.

The name comes from an ancient Sardinian marc distillate.

It is a transparent, strong and generous beverage, deep warmth for tasters and delight for givers. It is family and home intimacy in winter. It is a refreshing and invigorating taste.

I've thought of the name for this Brem radiator because of resonant echoes name "Filo & Ferru" (thread & iron) and for home warmth, hospitality and intimacy.


BREM'ART CREATIONS

The artist suggests the panels in Sablè quartz grey color SB 7039. Other table sablé colors Brem without supplement.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers




SIDE control QUADRA VALVES KIT

Art. KQL 191,20€

extra for BREM color list

53,40€



SIDE control TON VALVES KIT with


THERMOSTATIC head Art. KTL 203,70€

SIDE control TON VALVES KIT

Art. KVL 150,50€

REMOTE FITTINGS Art. REM 42,10€

tapping centre on the back: ▲▽ L-5cm



REMOTE VALVES ASSEMBLY KIT with:

- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT

Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with

THERMOSTATIC head Art. KVGT 229,80€

STANDARD FITTING

EG ø 3/8" on request ø 1/2"

tapping center: ▲▽ L - 4 cm



		EN 442 Watt Δt 50K (Δt 40K = Wx0,755 - Δt 30K = Wx0,526)			
MODEL		L cm	45	54	63
	H cm	▲▽ cm	41	50	59
FILU	180	€	1862,10 887w	1956,80 1061w	2050,30 1233w
FILU-L	180	€	2098,30 1181w	2221,90 1453w	2333,90 1723w
FILU	200	€	1922,10 985w	2014,20 1178w	2111,60 1369w
FILU-L	200	€	2207,50 1313w	2337,70 1616w	2449,30 1916w
FILU	220	€	1987,40 1082w	2103,20 1294w	2195,80 1504w
FILU-L	220	€	2263,90 1445w	2399,30 1778w	2515,60 2109w

Tecnical data mod. CLAK, pricelist page102



FILU&FERRU 180-45



Flashing light marks on a shaded mirror, hand-engraved by the artist Nicola Evangelisti, glare of light a fragment of red lava Murano glass.

Light, warmth and reflection bring together art and design in a unique and special way.


BREM'ART CREATIONS

The artist suggests the panels in Sablè quartz grey color SB 7039. Other table sablè colors Brem without supplement.

RECOMMENDED VALVES

CHROME PLATED VALVES KIT WITH:

- n°2 Valves with O-ring Tangs
- n°2 Fittings (multilayer ø16, copper ø12,14)
- n°2 Round washers




SIDE control QUADRA VALVES KIT

Art. KQL 191,20€

extra for BREM color list

53,40€



SIDE control TON VALVES KIT with


THERMOSTATIC head Art. KTL 203,70€

SIDE control TON VALVES KIT

Art. KVL 150,50€

REMOTE FITTINGS Art. REM 42,10€

tapping centre on the back: ▲▽ L-5cm



REMOTE VALVES ASSEMBLY KIT with:

- n°2 Fittings (multilayer ø16, copper ø12,14)

REMOTE QUADRA VALVES ASSEMBLY KIT

Art. KQG 192,20€

REMOTE TON VALVES ASSEMBLY KIT with

THERMOSTATIC head Art. KVGT 229,80€

STANDARD FITTING

EG ø 3/8" on request ø 1/2"

tapping center: ▲▽ L - 4 cm



EN 442 Watt Δt 50K (Δt 40K = Wx0,755 - Δt 30K = Wx0,526)					
MODEL		L cm	45	54	63
	H cm	▲▽ cm	41	50	59
FIRE	180	€	1901,30 887w	1996,00 1061w	2089,50 1233w
FIRE-L	180	€	2137,50 1181w	2261,10 1453w	2373,10 1723w
FIRE	200	€	1961,30 985w	2053,40 1178w	2150,80 1369w
FIRE-L	200	€	2246,70 1313w	2376,90 1616w	2488,50 1916w
FIRE	220	€	2026,60 1082w	2142,40 1294w	2235,00 1504w
FIRE-L	220	€	2303,10 1445w	2438,50 1778w	2554,80 2109w

Technical data mod. CLAK, pricelist page102



FIRE 180-54

REMOTE VALVES

.. so as not to see valves under the radiator



QUADRA valve/lockshield




TON valves




Thermostatic TON valves

Wall recessed $\varnothing 1/2"$ valves assembly, equipped with handles and round washers to control remotely the radiator (up to 6m), with fittings at rear (Art.REM) .


REMOTE WALL RECESSED VALVES ASSEMBLY with FITTINGS AT REAR OF RADIATOR



REMOTE WALL RECESSED VALVES ASSEMBLY AND SPECIAL FITTINGS 24/19 AT THE REAR OF RADIATOR (up to 6m)



REMOTE TON VALVES ASSEMBLY WITH THERMOSTATIC HEAD



BREM
RADIATORS FOR ARCHITECTURE



BREM SRL - VIA DELL' ARTIGIANATO, 8 - 24046 OSIO SOTTO/BERGAMO/ITALY
TEL. 035.482.36.36 / FAX 035.482.41.73 - www.brem.it / e-mail: brem@brem.it